

# AUSTRALIAN OS9 NEWSLETTER

sides 'No. of cylinders' (in decimal) :Interleave value: (in decimal) @FREE Syntax: Free [devname] Usage : Displays number of free sectors on a device @GFX Syntax: RUN GFX(<funct><args>) Usage : Graphics interface package for BASIC09 to do compatible VDG graphics commands @GFX2 Syntax: RUN GFX2([path]<funct><args>) Usage : Graphics interface package for BASIC09 to handle

Usage : window help to @IDENT from OS single lin directory @INKE input a the pro memory

EDITOR	Gordon Bentzen	(07) 344-3881
SUB-EDITOR	Bob Devries	(07) 372-7816
TREASURER	Don Berrie	(07) 375-1284
LIBRARIAN	Jean-Pierre Jacquet	(07) 372-4675
SUPPORT	Fax Messages Brisbane OS9 Users Group	(07) 372-8325

ax: none graphics/ on-line topics omation \$ = use execution device outline to abort to ink to a nents of

@LOAD Syntax: Load <pathname> [ ] Usage : Loads modules into memory @MAKDIR Syntax: Makdir <pathname> Usage : Creates a new directory file @MDIR Syntax: Mdir [e] Usage : Displays the present memory module directory Opts : e = print extended module directory @MERGE Syntax: Merge <path>

@MFREE Synt @MODPATCH memory from compare modul to module C of module M = ma Usage : Set me monochrome m and links an OS Procs [e] Usage display all pro

**Addresses for Correspondence**

Editorial Material:

Gordon Bentzen  
8 Odin Street  
SUNNYBANK Qld 4109

Subscriptions & Library Requests:

Jean-Pierre Jacquet  
27 Hampton Street  
DURACK Qld 4077

ndard output RAM memory in a module in warnings -c = &name = link V = verify Montype [opt] monitor m = sage : Creates ROCS Syntax: ern Opts : e = e : Prints the

current data directory path @FXD Syntax: Fxd Usage : Prints the current execution directory path @RENAME Syntax: Rename <filename> <new filename> Usage : Gives the file or directory a new name @RUNB Syntax: Runb <i-code module> Usage : BASIC09 run time package @SETIME Syntax: Setime

[yy/mm] Syntax: num @

Volume 6	January 1992 FEBRUARY	Number 1
----------	--------------------------	----------

TPR sc to refer

@TMODE Syntax: Tmode [pathname] [params] Usage : Displays or changes the operating parameters of the terminal @TUNEPORT Tuneport </t1 or /p> [value] Adjust the baud value for the serial port @UNLINK Syntax: Unlink <modname> Usage : Unlinks module(s) from memory @WCREATE Syntax:

**AUSTRALIAN OS9 NEWSLETTER**  
**Newsletter of the National OS9 User Group**  
**Volume 6 Number 1**

---

EDITOR : Gordon Bentzen  
SUBEDITOR : Bob Devries

TREASURER : Don Berrie  
LIBRARIAN : Jean-Pierre Jacquet

SUPPORT : Brisbane OS9 Level 2 Users Group.

Welcome to our first edition for 1992 of the Australian OS9 Newsletter. If you are interested in the latest developments in the OS9 community worldwide then read on.

Since the demise of the U.S. based OS9 Usergroup some enthusiasts have formed together as "The OS9 Community Network" and seems that promotion of this group is led by John Wight and no doubt many others. We have received a disk copy of their first Newsletter which is reproduced in part below. This should give you an idea of what it is all about.

One of our own National OS9 Usergroup members, Rob Mackay, has made contact with John Wight through the message facilities of CompuServe Information Systems, (CIS) and Rob is well down the track in arranging FIDO access here in Australia to the OS9 Community Network. Anyway, more on that a little later. Gordon.

---

OS9 COMMUNITY NETNEWS  
Issue 1, Vol I, Dec. 91.

COPYRIGHT & OWNERSHIP

OS9 Community NetNews is the property of The OS9 Community Network. This newsletter is put in the public domain and any part may be reprinted or included in another publication for educational purposes only, so long as the source of the article is mentioned. Any material from the OS9 Community NetNews for profit may only be used with permission of the OS9 Community NetNews Editor and/or the author of the article. The Editor of the OS9 Community NetNews and the authors may be reached through the editor; Dave Kelly, 12306 Aste Lane, Houston, Texas 77065; 713-894-7444 or via the OS9 Fido Echo at the Golden Coco (106/941).

---

From John Wight,

If I were very nostalgic, I could say the OS-9 Community Network started when I purchased my first computer (an MC-10) in 1984. I liked this inexpensive computer so much, I gradually moved up to a very complete COCO 3 OS-9 Level 2 system.

Or perhaps it got its start when I went to a community college for two years to earn my Associate of Technical Arts Degree in computer repair. It was there I first experienced the excitement of sharing my computer

knowledge and experience by running a BBS on a Tandy Model 3 with a 300 baud modem and four single sided floppy drives. I enjoyed it so much, I started dreaming and began to plan my own BBS which went online a few years later.

However this is the OS-9 "COMMUNITY" Network. There are many others in the COCO and OS-9 community who made it special, and have helped us to develop what is now becoming the OS-9 Community Network. For example, if it weren't for Lonnie Falk, Dale Puckett, and many others who had a part in Rainbow Magazine, many of us might never have gotten started with the COCO and OS-9, and come to realize what a powerful operating system OS-9 Level 2 really is and at a steal price. Over the years, Lonnie told us many stories in the Rainbow about how it grew from some ideas and a couple of pieces of paper to a thick magazine that kept many of us in touch with the COCO and OS-9 community for many years. It is this community that kept the Rainbow going strong for so long.

Then as the online COCO and OS-9 community evolved, Rainbow was getting thinner in pages, some of our favorite COCO and OS-9 experts left the Rainbow, and many hardware and software companies stopped advertising in its pages.

Around the same time Rainbow started getting thinner, a community of COCO and OS-9 users started getting together on FIDONET, a worldwide amateur network of over 10,000 BBS systems. Many of us learned that it is an excellent and cheap (in some cases free) place to keep in touch with COCO and OS-9 experts, and other members of our very friendly community. New users found they could get questions answered in a day or two (or less), learn where to get software, hardware, and the support that they were lacking from Tandy and other sources.

After I had experienced the wonder and power of OS-9 Level 2 for a while, with its multitasking and windows, I learned about RiBBS which was written to be FIDONET compatible. So I decided to join the FIDONET network to further my aspirations of being a supporting member of our special community. After seeing Tandy drop its support of the COCO and OS-9 markets, and seeing the Rainbow getting smaller yet, I decided to look for more ways to support this community and do my part to help keep it alive. I eventually took on the job of echo moderator for the FIDONET COCO and OS9 conferences, and continued to share my knowledge of and experience in OS-9

---

## AUSTRALIAN OS9 NEWSLETTER

---

with other users, and I continue to do my best to ensure that our community stays friendly.

Then ideas started coming in on the echoes. Some wondered what Microware would do with OS-9 when Tandy quit its support. Someone mentioned the possibility of its release to a non profit group. So we thought, why not release it to members of the largest amateur network in the world. We also discussed the possibilities of routing and echoing files to OS-9 BBS systems in the same way FIDONET echo messages are efficiently routed at low cost. It was these ideas and many more discussed among members of this special community that is currently evolving into the OS-9 Community Network. My dream is to see it grow into the best group of quality computer users in support of one of the best operating systems in the world, just as Lonnie Falk's 4 page newsletter grew into a magazine that educated many of us to the vast potential of the COCO and OS-9 Level 2 in a mostly MS-DOS world. Just as Rainbow is now starting to include information on the new machines designed to be an upgrade to the COCO, we will be upgrading to include information on the new machines and OSK as well.

I wish to thank all of you in the COCO and OS-9 community, as it is you who have helped us to keep our favorite computer and operating system alive. I would like to thank many individually, such as anyone who offered their BBS systems, software authors, hardware hackers, Rainbow staff, CIS and Delphi members; I could go on and on, but there are just too many to list that helped us to get where we are today. In appreciation, I offer to all members of our special community the OS-9 Community Network.

John Wight.

---

From Don Vaillancourt, October 31st, 1991

Welcome to all OS-9 users,

Over the summer many of you have been sitting idly by waiting for the beginning of a new era for instance the three OSK vendors which have offered low cost yet powerful machines for the home end user and also powerful features for the power hungry individual. We at the OS-9 Community Network would like to welcome all these new and old OS-9 hardware and software vendors and each new individual it may bring along with it.

The really big surprise I would assume for most of you was the resurrection of a new OS-9 User's Group called the OS-9 Community Network. Currently O.C.N. is still in its infant stage and rapidly growing. For those who don't know much about O.C.N. read on.

To make it brief, O.C.N. was formed over the FIDO OS-9 International Echo in July of '91. Using the network's backbone to exchange ideas and provide connections for us has helped a great deal. We have acquired over 100 users

from the network over the four past months and a few at the recent Atlanta CoCoFest, and believe it or not we are still acquiring more. Many of the big plans currently waiting to explode at your door step are many data services such as a "MANPOWER" database which would be used to store information about any individual looking for employment in the OS-9 software/hardware field or any companies looking for specific individuals and an OS-9 "VENDORS" database, "BBS's and USER GROUP" database along with many other features which would appeal to many OS-9 users.

We are also slowly exploring new possibilities such as setting up a central BBS for use by business' and individuals and other services to help the new forming business get a head start.

As for our newsletter, The OS-9 Community News, we still don't have any guidelines engraved in stone to what we will publish, but we hope to be bringing many useful articles. I will try to conduct regular surveys and post the results on different issues concerning the OS9 market. many useful articles. I will try to conduct regular surveys and posting results on different issues concerning the OS-9 market.

Well that's all I have to say for this issue and certainly hope that the OS-9 Community Network will be a dream come true. If you wish to contact any of us, our names should be available in this issue somewhere. Don Vaillancourt.

---

### Off-Line E-Mail Systems and Readers.

It sure is nice to have FidoNet on your favorite BBS. Now you can reach hundreds of COCO users across Canada and the U.S. But the Problem is reading all those messages. Most of the time you usually skip the long messages and read only messages addressed to you because you feel you are hogging the System and there just isn't enough time to read them all without rushing. Just like most OS-9 users I had the same problem until the day I made a visit to my friend Daniel (Sysop of THE PRO BBS). He was reading some messages but the strange thing was that the modem was Off-Line! "How can you read messages without being On-Line," I asked. And that's when I was introduced to Off-Line E-Mail Systems.

An Off-Line E-Mail System is a program run by the BBS that will bundle messages in a packet that you download. One can find such a program mostly on MS-DOS BBS and in some cases on some Macs. It usually as a configuration menu that gives you a choice of protocol to use, the type of ARChive to use, plus many other options, depending on the system used. But the most important selection is the option to SELECT the desired areas you wish to download.

-----  
**AUSTRALIAN OS9 NEWSLETTER**  
-----

Once this is done it remains as is until you change it again. The most popular format for these Off-Line E-Mail Systems is QWE. There is also, designed by Hector Santos, the Silver Xpress (c) Copyright by Santronics Software that is very popular in Europe and picking up grounds in North America. Whichever system the BBS uses, the user must first download a program to be able to read this mail. This program is commonly called a reader. There are many readers for QWE format.

The OS-9 community still to this day does not have such a system on a BBS but there are now 3 known readers for OS-9 that will permit a user to use Off-Line E-Mail Systems on MS-DOS BBS. I have written 2 of them. Xpress09 that will run on a system using Santronics Silver Xpress and MaxQWE09 for use on BBSes using the QWE format. Scribe is also a QWE format reader for OS-9.

What does a reader do? A reader allows you to read the messages Off-line at your own pace and has a reply option to allow you, the user, to reply to any message you choose. There is a built in editor to write your replies and also an option to quote the message. After you have done using the reader it will bundle the replies in a packet with the .REP extension that you then upload to the BBS at your convenience.

Xpress09 and MaxQWE09 are available on DELPHI and CompuServe or on The Pro BBS by Freq using XPRESS09 or QWE09 as a magic word. SCRIBE may be available on your local BBS. Hopefully, soon they will be available on all The OS-9 Community Network regional Libraries.

If you have any questions leave them to the OS-9 Netnews Editor or on the OS-9 Echos where I can collect them and answer them in the Netnews. Till then Keep Posting.  
Tony Belle Bonne.

Docs on OS-9 echo from Fidonet, as at 28/01/92.

\*\*\*\*\*

From, Rob Mackay, Brisbane, Australia.

1. Echo area set up on Galaxy Gateway BBS. Access to echo not yet available.
2. Access will be on TRIAL basis only. Initial discussions between sysop and myself indicate trial of one month minimum. Maximum depends on usage (support), both financially & system usage.
3. Cost is initially around AS40.00 per month, although this is not confirmed. This is based on ONE user. Initial trial cost will be borne by Galaxy Gateway owner & sysop. (James Collins).
4. Access will be available on all Fidonet BBS's throughout Australia. Contact your sysop. Refer them to G.G.C.S on 3:649/316 (James Collins).
5. The more OS-9 users that join Fidonet BBS's (a lot probably already are) & arrange access to the OS-9 echo the cheaper it will become for all of us.
6. I hope to be able to provide more information & registration forms for the new OS-9 Community Network, as information comes in from John Wight (International Coordinator). I am currently waiting on replys to queries through the G.G.C.S. sysop & CIS.
7. If we as a community support what is being done in the states it can only benefit us all. If we don't then we should not complain if it fails from lack of support. More to the point it will definately be a loss to us all should this happen.

-----  
cccccccccc0000000000cccccccccc

**TROJAN HORSE FOR OS9?**

The following information comes from the OS9 Internet discussion forum. It appears that, a replacement version of the free command has been found in the US, which has a nasty little routine incorporated. The stock Microware version (CRC: E71F9D) is safe. If you are using a non-standard version, check that it is not the version mentioned below!!

From: IN%hgpitre@SEABASS.ST.USM.EDU@uga.cc.uga.EDU"  
21-JAN-1992 10:55:29.76  
To: Multiple recipients of list COCO (COCO@PUCC)  
CC:  
Subj: Trojan Horse

I want to warn all of you about a potential trojan horse that has been around. A friend of mine has already been hit by it, and I obtained the source code from a BBS. I contacted the SysOp and he was NOT aware of it being on his BBS. When we tried to track down who was responsible for uploading it, we found someone by the name of Mark O'Conner. After finding the home phone number on the registration form, we called and got a disconnection message.

The trojan horse is actually a version of FREE that was distributed with the GSHLL+ patches. It subtly erases the first 32 sectors of the specified device IF the program is run between 45 after and the top of the hour.

AUSTRALIAN OS9 NEWSLETTER

Doing a FREE /HO between these times, you can kiss your hard drive data goodbye.. I've got the IDENT of the ORIGINAL and CLEAN version of FREE, as well as the trojan horse version:

ORIGINAL CLEAN FREE:

Header for: Free
Module size: \$0229 #553
Module CRC: \$B99D76 (Good)
Hdr parity: \$00
Exec. off: \$0012 #13
Data Size: \$01F9 #505
Edition: \$02 #2
Ty/La At/Rv: \$11 \$82
Prog mod. 6809 obj, re-en, R/O

TROJAN HORSE FREE:

Header for: Free
Module size: \$0238 #568
Module CRC: \$26567A (Good)
Hdr parity: \$11
Exec. off: \$0012 #13
Data Size: \$01FF #511
Edition: \$02 #2
Ty/La At/Rv: \$11 \$82
Prog mod. 6809 obj, re-en, R/O

Please be careful of this subtle, but damaging program. If anyone else finds this version floating around, please leave me email on where you found it and when.

Thanks, Boiey Pitre

oooooooooooo0000000000oooooooooooo

EUROPEAN OS9 USERGROUP

Some information from Peter Tutelaers in Holland

In England MicroWare has started a new usergroup with a name VERY similar to ours (OS9 European User Group). In order to avoid name conflicts we decided to, from now on, use EUROS9 for our group. A name I prefer anyhow.

For info/sign-ups you'd best write to:

OS9 EUROPEAN USER GROUP
c/o The Mulberry
Warren Lane
Cross-in-Hand
Hearthfield
East Sussex
TN21 0TS England

According to the information I got (which was not first hand), this is MW's way to resurrect the old usergroup they (??) had. This group is mainly for bussiness people I guess (as MW is). They plan to publish a newsletter, have meetings and will also have a BBS running in the UK by the time you read this.

Their membership-fee is 20 Pounds. I've signed up with the group so I too should be able to keep you up-to-date on what the 'other' group is doing. Maybe we'd be able to work together in the (near) future. I do have plans of joining the first meeting they'll organize. Maybe I could meet some of you at that time as well (would be my first trip to the UK)...

I wished I could only re-locate (??) the copy Malcolm (presumably one of the EUROS9 members. EB) sent me with the phone-number/area code of the BBS. I know it was operated by two persons of VG Systems (on which I couldn't find any info either). Guess this'll have to wait for next month.

oooooooooooo0000000000oooooooooooo

GIME GIME GIME GIME GIME GIME GIME GIME GIME GIME

G GIME Chips G
I Anyone who needs (or wants) replacement GIME I
M chips for their CoCo 3 computers, please contact M
E Jean-Pierre Jacquet at your earliest convenience. E
He has been able to ferret out a supplier of
G these chips in USA, and the price is very good. G
I Please phone your orders to (07) 372 4675 or I
M Fax (07) 372 8325, so that he can place a bulk M
E order. E

GIME GIME GIME GIME GIME GIME GIME GIME GIME GIME

---

## AUSTRALIAN OS9 NEWSLETTER

---

Patch for Deldir  
by Bob Dewries

Here is a patch for the 'Deldir' command for those of you who are using the newer version of 'dir', out of our archive 'dirosk.ar'. This version of dir requires you to use a '-e' to get the extended directory where the supplied dir you type 'dir e'. So why patch deldir, you ask? Well, deldir uses the 'dir e' command if you choose the 'l' option when asked. Of course, this won't work if you have the new dir command. So here is a basic09 programme which produces an lpatch file for you to patch deldir. Be careful to get all 128 numbers in the DATA section correct, otherwise your patch isn't going to work at all.

Regards, Bob Dewries

```
PROCEDURE makdeldirpat
0000   DIM path:INTEGER
0007   DIM a:BYTE
000E   DIM x:INTEGER
0015   CREATE #path,"deldir.ipc":WRITE
002A   FOR x=1 TO 128
003A     READ a
003F     PUT #path,a
0049   NEXT x
0054   CLOSE #path
005A   END
005C   DATA $02,$7C,$02,$7D,$02,$00,$03,$00,$01,$00,$01,$7C,$7D,$02,$00,$08
00A0   DATA $00,$01,$00,$01,$56,$57,$02,$00,$23,$00,$01,$00,$01,$9F,$A0,$02
00E4   DATA $00,$28,$00,$01,$00,$01,$19,$1A,$02,$01,$1E,$00,$01,$00,$01,$5A
0128   DATA $5B,$02,$01,$2B,$00,$01,$00,$01,$19,$1A,$02,$01,$3D,$00,$01,$00
016C   DATA $01,$3B,$3C,$01,$01,$43,$00,$00,$00,$01,$2D,$02,$01,$4D,$00,$04
01B0   DATA $00,$04,$02,$30,$8C,$F2,$02,$20,$3C,$F1,$02,$01,$6A,$00,$01,$00
01F4   DATA $01,$D4,$D3,$02,$01,$74,$00,$01,$00,$01,$C9,$C8,$02,$02,$79,$00
0238   DATA $03,$00,$03,$16,$8D,$56,$4C,$7B,$E7,$04,$02,$7C,$00,$00,$00,$00
```

cccccccccccccccccccccccccccccccccccc

Patching Kevin Darling's GFX2  
by Bob Dewries

You may remember that I reported that there is a bug in Kevin Darling's new GFX2 module for Basic09. Well, not any more! I managed to find the problem, and patch it. I produced an lpatch file so your copy of the gfx2 module can be patched, too. As well as that, so that you don't have to send away for the public domain disk, I have produced a Basic09 programme which produces the lpatch file. Type it in, and presto, you'll have a file called 'gfx2.ipc', which you can use with the programme 'lpatch' to fix your gfx2 file. Of course, if you don't have the lpatch programme, you'll need to send to our PD librarian for PD disk number 4.

After I had done all the detective work to fix GFX2, Gordon Bentzen called to tell me that he had an lpatch file called gfx2.ipc from Kevin Darling himself, which fixes the same problems, but in a different way. So, in the interests of uniformity, I will give you the Basic09 programme to produce that file instead of my own. Why does this always happen to me?

Now, here's the source:

```
PROCEDURE makgfx2patch
0000   DIM path:INTEGER
0007   DIM a:BYTE
000E   DIM x:INTEGER
0015   CREATE #path,"gfx2.ipc":WRITE
0028   FOR x=1 TO 678
0039     READ a
```

AUSTRALIAN OS9 NEWSLETTER

003E PUT #path,a  
0048 NEXT x  
0053 CLOSE #path  
0059 END  
005B DATA \$09,\$49,\$09,\$49,\$03,\$00,\$12,\$00,\$02,\$00,\$03,\$03,\$9C,\$00,\$03,\$9B  
009F DATA \$02,\$00,\$1B,\$00,\$01,\$00,\$01,\$F3,\$F2,\$02,\$00,\$23,\$00,\$01,\$00,\$01  
00E3 DATA \$FB,\$FA,\$02,\$00,\$2A,\$00,\$01,\$00,\$01,\$10,\$9F,\$02,\$00,\$30,\$00,\$01  
0127 DATA \$00,\$01,\$14,\$13,\$02,\$00,\$36,\$00,\$01,\$00,\$01,\$18,\$17,\$03,\$00,\$3D  
016B DATA \$00,\$03,\$00,\$02,\$FF,\$04,\$BD,\$04,\$BC,\$02,\$00,\$46,\$00,\$01,\$00,\$01  
01AF DATA \$22,\$21,\$02,\$00,\$4F,\$00,\$01,\$00,\$01,\$9F,\$9E,\$02,\$00,\$57,\$00,\$01  
01F3 DATA \$00,\$01,\$D0,\$CF,\$02,\$00,\$60,\$00,\$01,\$00,\$01,\$DB,\$DA,\$02,\$00,\$68  
0237 DATA \$00,\$01,\$00,\$01,\$E6,\$E5,\$02,\$00,\$70,\$00,\$01,\$00,\$01,\$EA,\$E9,\$02  
027B DATA \$00,\$78,\$00,\$01,\$00,\$01,\$EE,\$ED,\$02,\$00,\$81,\$00,\$01,\$00,\$01,\$F9  
02BF DATA \$F8,\$02,\$00,\$8B,\$00,\$01,\$00,\$01,\$12,\$11,\$02,\$00,\$96,\$00,\$01,\$00  
0303 DATA \$01,\$1F,\$1E,\$02,\$00,\$9F,\$00,\$01,\$00,\$01,\$33,\$32,\$02,\$00,\$A5,\$00  
0347 DATA \$01,\$00,\$01,\$44,\$43,\$02,\$00,\$AB,\$00,\$01,\$00,\$01,\$55,\$54,\$02,\$00  
038B DATA \$B5,\$00,\$01,\$00,\$01,\$59,\$58,\$02,\$00,\$BD,\$00,\$01,\$00,\$01,\$7C,\$7B  
03CF DATA \$02,\$00,\$C6,\$00,\$01,\$00,\$01,\$73,\$72,\$02,\$00,\$D0,\$00,\$01,\$00,\$01  
0413 DATA \$77,\$76,\$02,\$00,\$D8,\$00,\$01,\$00,\$01,\$AF,\$AE,\$02,\$00,\$E1,\$00,\$01  
0457 DATA \$00,\$01,\$BC,\$BB,\$02,\$00,\$EB,\$00,\$01,\$00,\$01,\$CC,\$CB,\$02,\$00,\$F6  
049B DATA \$00,\$01,\$00,\$01,\$0A,\$09,\$02,\$00,\$FE,\$00,\$01,\$00,\$01,\$0E,\$0D,\$02  
04DF DATA \$01,\$05,\$00,\$01,\$00,\$01,\$D0,\$CF,\$02,\$01,\$0F,\$00,\$01,\$00,\$01,\$D4  
0523 DATA \$D3,\$02,\$01,\$18,\$00,\$01,\$00,\$01,\$D8,\$D7,\$02,\$01,\$21,\$00,\$01,\$00  
0567 DATA \$01,\$DC,\$DB,\$02,\$01,\$2B,\$00,\$01,\$00,\$01,\$37,\$36,\$02,\$01,\$32,\$00  
05AB DATA \$01,\$00,\$01,\$CF,\$CE,\$02,\$01,\$3C,\$00,\$01,\$00,\$01,\$D4,\$D3,\$02,\$01  
05EF DATA \$42,\$00,\$01,\$00,\$01,\$EA,\$E9,\$02,\$01,\$4C,\$00,\$01,\$00,\$01,\$EE,\$ED  
0633 DATA \$02,\$01,\$54,\$00,\$01,\$00,\$01,\$19,\$18,\$02,\$01,\$5D,\$00,\$01,\$00,\$01  
0677 DATA \$1D,\$1C,\$02,\$01,\$68,\$00,\$01,\$00,\$01,\$21,\$20,\$02,\$01,\$71,\$00,\$01  
06BB DATA \$00,\$01,\$29,\$28,\$02,\$01,\$79,\$00,\$01,\$00,\$01,\$31,\$30,\$02,\$01,\$82  
06FF DATA \$00,\$01,\$00,\$01,\$35,\$34,\$02,\$01,\$89,\$00,\$01,\$00,\$01,\$39,\$38,\$02  
0743 DATA \$01,\$92,\$00,\$01,\$00,\$01,\$3D,\$3C,\$02,\$01,\$9A,\$00,\$01,\$00,\$01,\$41  
0787 DATA \$40,\$02,\$01,\$A3,\$00,\$01,\$00,\$01,\$45,\$44,\$02,\$01,\$AE,\$00,\$01,\$00  
07CB DATA \$01,\$4B,\$4A,\$02,\$01,\$B6,\$00,\$01,\$00,\$01,\$4F,\$4E,\$02,\$01,\$BE,\$00  
080F DATA \$01,\$00,\$01,\$53,\$52,\$02,\$01,\$C6,\$00,\$01,\$00,\$01,\$57,\$56,\$02,\$01  
0853 DATA \$CF,\$00,\$01,\$00,\$01,\$5B,\$5A,\$02,\$01,\$D9,\$00,\$01,\$00,\$01,\$5F,\$5E  
0897 DATA \$02,\$01,\$E4,\$00,\$01,\$00,\$01,\$6C,\$6B,\$02,\$01,\$ED,\$00,\$01,\$00,\$01  
08DB DATA \$70,\$6F,\$02,\$01,\$F7,\$00,\$01,\$00,\$01,\$74,\$73,\$02,\$02,\$00,\$00,\$01  
091F DATA \$00,\$01,\$78,\$77,\$02,\$02,\$09,\$00,\$01,\$00,\$01,\$0A,\$09,\$02,\$02,\$10  
0963 DATA \$00,\$01,\$90,\$01,\$2D,\$2C,\$02,\$02,\$18,\$00,\$01,\$00,\$01,\$6B,\$6A,\$02  
09A7 DATA \$02,\$23,\$00,\$01,\$00,\$01,\$88,\$87,\$02,\$02,\$2C,\$00,\$01,\$00,\$01,\$87  
09EB DATA \$86,\$02,\$02,\$33,\$00,\$01,\$00,\$01,\$95,\$95,\$02,\$02,\$3B,\$00,\$01,\$00  
0A2F DATA \$01,\$5F,\$5E,\$02,\$02,\$42,\$00,\$01,\$00,\$01,\$2C,\$2B,\$02,\$02,\$49,\$00  
0A73 DATA \$01,\$00,\$01,\$F8,\$F7,\$02,\$02,\$51,\$00,\$01,\$00,\$01,\$7B,\$77,\$02,\$02  
0AB7 DATA \$59,\$00,\$01,\$00,\$01,\$F0,\$EF,\$02,\$02,\$63,\$00,\$01,\$00,\$01,\$EB,\$EA  
0AFB DATA \$02,\$02,\$2D,\$00,\$01,\$00,\$01,\$54,\$55,\$02,\$02,\$E0,\$00,\$01,\$00,\$01  
0B3F DATA \$31,\$32,\$02,\$09,\$46,\$00,\$03,\$00,\$03,\$47,\$1C,\$CE,\$7A,\$03,\$31,\$04  
0B83 DATA \$09,\$49,\$00,\$00,\$00,\$00

If you wish, of course, you could order this file from our PD library. It is on disk 11.

Bob Devries

oooooooo0000000000oooooooo

AUSTRALIAN OS9 NEWSLETTER

An Index of Rainbow OS9 Articles
compiled by Bob Devries
January - December '88

January 1988 page 156
Stalking the Fire-Breathing Dragon - Tips for the OS9
beginner.
Nancy Stewart

January 1988 page 166
OS9 - Catch the Wave - Help for OS9 users.
Cray Augsburg

January 1988 page 160
KISSable OS9 - Back at the drawing board.
Dale L. Puckett

January 1988 page 176
OS9 Programming - Screen dumping revisited.
Peter Dibble

February 1988 page 152
The Impact of Multi-View - A first look at Tandy's user-
friendly interface for OS9 Level II.
Cray Augsburg

February 1988 page 182
KISSable OS9 - Using a fourth-generation database
language.
Dale L. Puckett

March 1988 page 190
KISSable OS9 - A view of Multi-View.
Dale L. Puckett

April 1988 page 169
KISSable OS9 - new tools, new toys.
Dale L. Puckett

May 1988 page 178
KISSable OS9 - Patches, programs and politics.
Dale L. Puckett

June 1988 page 14
Help Is on the Way - Create online assistance.
Stephen B. Goldberg

June 1988 page 180
KISSable OS9 - Another great beginning.
Dale L. Puckett

July 1988 page 16
A New Outlook for OS9 - Using subdirectories and shell
scripts to build an OS9 menu system.
Mark Roseman

July 1988 page 174
KISSable OS9 - Sending the right signals.
Dale L. Puckett

August 1988 page 182
KISSable OS9 - Volunteers build a better mousetrap.
Dale L. Puckett

October 1988 page 143
Accessible Applications - Introducing the OS9 Team.
Richard A. White

October 1988 page 147
KISSable OS9 - Another cry for standards.
Dale L. Puckett

November 1988 Page 176
KISSable OS9 - Installation, automation and more.
Dale L. Puckett

December 1988 page 160
Parameter Changes Made Easy - Take the drudgery out of
changing parameters.
Steve Goldberg

December 1988 page 186
Accessible Applications - Boot modifications.
Richard A. White

December 1988 page 178
KISSable OS9 - Better tools are here.
Dale L. Puckett

oooooooooooo0000000000oooooooooooo

MODULES which I have in my OS9Boot

These are the modules I have in my Boot, alongside the original files and where the changes or patches came from, as far as I remember. This information may prompt some of you to rush orders for our PD disks (we can only hope), to get the latest versions for yourselves.

Bob Devries

5 \$C1 \$B1F86C . REL

5 \$C1 \$6FD34C . REL

set boot step rate (newsletter article)



-----  
**AUSTRALIAN OS9 NEWSLETTER**  
 -----

4	SC1	S8D0496	. Boot	4	SC1	S03DC4E	. Boot	set boot step rate (newsletter article)
16	SC0	SC21516	. OS9p1	16	SC0	S969A94	. OS9p1	kevin darling OSK filenames patch (krnl.ar)
17	SC0	S47B370	. OS9p2	17	SC0	S47B370	. OS9p2	no changes yet
12	SC1	SFD1FEA	. IOMan	12	SC1	SFD1FEA	. IOMan	no changes yet
67	SC0	S8D0456	. Init	67	SC0	S0B2322	. Init	number of open files to 12 (newsletter article)
5	S11	SCA6AA9	. CC3go	5	S11	S1006FE	. CC3Go	Don Berrie & Bob Devries patch (newsletter article)
3	SC1	SDF99F9	. Clock	3	SC1	S2D15E5	. Clock	irq patches (this is the Disto RTC clock)
29	SD1	SD1A177	. RBF	28	SD1	SEFBEB3	. RBF	undel patch (rbf29.ar)
8	SE1	S9409D6	. CCHDisk	4	SE1	SA1199D	. CCHDisk	version 6 patches (Disto hard disk) (sasi06.ar)
163	SE1	S6FF79D	. CC3Disk	163	SE1	SA27877	. CC3Disk	irq patches (Disto SCSI controller)
0	SE1	S150571	. Banner	3	SE1	S150571	. Banner	Kevin darling's randisk
13	SD1	S391438	. SCP	13	SD1	SF946CA	. SCP	kevin darling's command line editor patch (scted1.ar)
16	SE1	S14BA44	. CC3IO	16	SE1	SF737C2	. CC3IO	various patches (serialmouse.ar)
18	SC1	S744DB8	. WindInt	18	SC1	S1A9A7D	. WindInt	various patches (mv2pat.ar)
3	SE1	SFEAA14	. NilDrv	3	SE1	SFEAA14	. NilDrv	no change
12	SE1	S2D7DBE	. ACIAPAK	12	SE1	SC1EA10	. ACIAPAK	enlarged buffer size
12	SE1	SCC3EA4	. PRINTER	12	SE1	SCC3EA4	. PRINTER	no change
6	SE1	SA70A4C	. Parallel	6	SE1	SA70A4C	. Parallel	no change yet (Disto Parallel printer)
4	SD1	SAD6718	. PipeMan	4	SD1	SAD6718	. PipeMan	no change
2	SE1	S5B2B56	. Piper	2	SE1	S5B2B56	. Piper	no change
80	SF1	SCC06AF	. Pipe	80	SF1	SCC06AF	. Pipe	no change
6	S11	S08030D	. Printerr	6	S11	SE61370	. Printerr	patch from level 1 (ipatch.ar)

oooooooooooo000000000000000000000000

Procedure to create a customized OS9 system disk  
 by Jean-Pierre Jacquet

You will need the following: A 128K Colour Computer 3, TWO 40 track double-sided disk drives and a COPY of the original Tandy OS9 System and Boot/Config/Basic09 disks. Do NOT write protect these disks!!!

Boot the system using the original disk, and format a blank disk in drive /D1 (drive 1). This will give you a 35 track single-sided disk, unless you already have, and know how to use the DMODE utility from our Public Domain library. Insert the Boot/Config/Basic09 disk in drive /D0 (drive 0) and type:

```
CHK /D0/CMDS;CHD /D0
```

Now to run CONFIG, just type its name:

```
CONFIG
```

Go through all the steps required, selecting the device modules you want to use, and de-selecting those you don't need. Finally, after you have selected the correct Clock module (50Hz of course, for Australian machines), the config programme will FAIL with the following message:

```
Config: can't fork OS9Gen Error #207
```

```
Error #207 = memory full
```

Your OS9 system may now seem frozen, and may require several <ctrl><break> presses to restart.

There is now a file called Bootlist in the MODULES directory on the disk in drive /D0 (drive 0). Its contents should match the modules you selected during the running of Config. You can verify this by typing LIST /D0/MODULES/Bootlist

The amount of memory for you to run OS9Gen is 40K. OS9Gen requires one 8K block for itself, plus one 8K block for data, so that leaves 24K to give to OS9Gen to work with. So we can now type:

```
OS9Gen /di #20k </D0/MODULES/Bootlist
```

This command now creates an OS9Boot file on the destination disk. Make sure you type that input file with the redirection, otherwise each module name must be entered manually. IF NO INPUT FILE IS SPECIFIED AND <ENTER> IS PRESSED AT THE PROMPT, YOU WILL END UP WITH AN EMPTY OS9BOOT FILE ON YOUR DISK!

Create a command directory and a system directory on the new disk this way: Put the system disk back in drive /D0 (drive 0) and type:

```
CHD /D0;CHK /D0/CMDS
```

## AUSTRALIAN OS9 NEWSLETTER

```
MAKDIR /D1/CMDS;MAKDIR /D1/SYS
```

Use of capital letters is recommended for directory names, and lowercase for other files.

There are now two possible ways to get all the files from the system disk to your new disk.

1. Create a file using DSAVE with its output redirected to a file like this:

```
DSAVE /D0 /D1 >filelist
```

Now EDIT this file to remove all the unwanted filenames, and use this file as a shell-script to copy all the files from one disk to the other. You do this by just typing its name.

2. Go straight into DSAVE, piping the output to SHELL, then delete the unwanted files later

```
CHD /D0/CMDS; DSAVE /D0 /D1/CMDS | SHELL
```

Note that DSAVE, which uses the copy command to move the files, does not change the last modification date of your files, unlike some other programmes.

Follow a similar procedure to copy the SYS directory.

Now, to get the right colours on a TV or colour monitor, EDIT the startup file and insert the command 'MONTYPE R'. Copy this file onto your disk in drive /D1

/drive 1).

You now have a boot disk for 40 track double-sided (or whatever you chose in Config) but on 35 track single-sided disks.

We must now create a boot with the same contents, but on a 40 track double-sided disk. So here we go:

Use the new disk to re-boot OS9.

Format a disk in drive /D1. The command is simply:

```
FORMAT /D1 "diskname" R
```

After this has finished, and you type FREE /D1, you should read:

```
.....Capacity: 1,441 sectors (1-sector clusters)
1,430 Free sectors...
```

Now type COBBLER /D1

And then use the Dsave command to copy all the files from drive 0 to drive 1 as explained above.

You will now have a 40 track double-sided boot disk for OS9.

Jean-Pierre Jacquet

```
oooooooooooooooooooooooooooo
```